

## 9 森孝川

年度	年	月	日	採水時間	気温	水温	pH	BOD	COD	SS	DO	大腸菌群数	全窒素	全りん	河川流量	電気伝導率
-	-	-	-	-	°C	°C	-	mg/L	mg/L	mg/L	mg/L	MPN/100ml	mg/L	mg/L	m3/分	mS/m
H30	30	6	27	16:00	30.5	26.2	7.2	3.2	7.1	3	7.2	49000	3.7	0.34	12.8	20
	31	2	14	11:26	8.0	8.5	7.1	18	17	10	7.5	49000	16	1.6	1.7	33
H31 R1	1	6	5	13:45	28.0	25.8	7.5	4.9	11	14	9.1	4900	3.0	0.33	2.6	14
	2	2	5	11:20	10.0	8.5	7.2	6.5	14	3	10	130	5.9	0.58	2.2	27
R2	2	6	5	13:55	34.0	30.2	7.2	3.7	7.1	13	7.8	70000	2.1	0.29	3.5	13
	3	2	5	10:00	6.5	6.4	7.1	5.9	8.2	3	10	17000	5.9	0.46	1.1	24
R3	3	6	10	13:00	29.5	29.0	7.5	3.8	7.8	6	8.5	3300	2.1	0.20	6.2	12
	4	2	18	10:25	4.9	5.0	7.4	7.3	10	2	8.9	28000	11	0.63	4.5	4.5
R4	4	7	1	10:10	34.0	27.0	7.2	3.5	5.7	8	11	600	3.0	0.23	2.6	15
	5	2	17	13:10	11.0	9.0	7.3	9.8	12	4	10	580	7.7	0.61	1.0	28
R5	5	7	25	14:40	37.0	29.8	7.2	3.4	6.8	8	7.6	180	1.3	0.21	4.7	16
	6	3	5	9:57	7.0	9.8	7.1	4.8	6.5	2	9.5	650	4	0.25	0.9	26