

5 堀越川

年度	年	月	日	採水時間	気温	水温	pH	BOD	COD	SS	DO	大腸菌群数	全窒素	全りん	河川流量	電気伝導率
-	-	-	-	-	°C	°C	-	mg/L	mg/L	mg/L	mg/L	MPN/100ml	mg/L	mg/L	m3/分	mS/m
H30	30	6	27	10:15	28.5	24.5	7.2	3.4	9	15	4.1	33000	3.7	0.46	4.2	22
	31	2	13	16:00	8.0	8.0	7.1	29	42	17	2.6	9400	36	2.8	0.2	26
H31 R1	1	6	5	11:20	25.5	22.5	7.3	6.8	15	17	4.9	1100	8.6	0.74	0.4	45
	2	2	3	13:10	11.2	9.0	7.0	0.9	3.1	<1.	13	1100	1.0	0.12	0.3	14
R2	2	6	4	15:22	27.5	23.6	7.4	1.8	6.6	5	6.8	17000	0.9	0.14	0.2	19
	3	2	1	11:22	7.5	4.9	7.1	0.5	3.3	1	0	<30	0.0	0	0.2	16
R3	3	6	9	12:50	33.0	31.0	7.8	1.4	6.5	3	7.4	3300	0.94	0.14	0.4	19
	4	2	17	14:20	1.9	6.3	8.3	1.0	3.6	4	14	220	0.89	0.037	0.4	18
R4	4	6	30	11:35	35.0	31.0	7.8	3.9	7.6	12	8.5	260	4.4	0.18	0.4	25
	5	2	17	8:30	3.0	2.0	7.2	<0.5	4.3	6	12	51	4.8	0.084	0.2	23
R5	5	7	25	9:50	31.0	28.2	7.6	4.2	8.5	8	6.3	5400	9	0.46	0.1	38
	6	3	4	13:40	12.1	9.8	7.0	1.7	3.6	1	11	62	1.8	0.072	0.7	19