

7 鴨田川(藤ノ木川合流点)

年度	年	月	日	採水時間	気温	水温	pH	BOD	COD	SS	DO	大腸菌群数	全窒素	全りん	河川流量	電気伝導率
-	-	-	-	-	℃	℃	-	mg/L	mg/L	mg/L	mg/L	MPN/100ml	mg/L	mg/L	m3/分	mS/m
R2	2	5	15	13:40	22.5	23.7	10.6	3.9	5.1	2	12	<1.8	1.4	0.098	0.4	-
	2	6	5	14:25	32.5	30.9	10.4	4.1	8.9	1	9.9	<1.8	1.3	0.076	0.5	22
	2	8	7	14:43	29.0	28.9	10.1	1.8	4.2	1	10	<1.8	1.6	0.063	0.7	-
	2	10	15	13:50	24	22	7.2	2.1	4.8	2	9	49000	4.6	0.360	1.2	-
	2	12	7	13:57	14.0	12.5	9.5	2.0	3.8	2	12	4900	3.3	0.160	0.2	-
	3	2	1	16:38	8.5	8.3	8.8	2.5	5.7	<1	11	17000	2.7	0.100	0.3	23
R3	3	5	11	9:41	22.0	23.3	9.8	4.7	7.1	2	13	700	1.7	1.700	0.072	
	3	6	10	10:30	28.5	33.0	10.3	4.5	9.7	5	11	490	1.4	0.083	0.4	27
	3	8	31	8:50	29.2	27.4	9.4	2.6	4.6	3	10	4900	1.7	0.026	0.2	
	3	10	8	9:00	25.0	25.0	9.8	3.2	8.1	1	14	110	2.0	0.100	0.2	
	3	12	21	9:15	7.1	7.3	8.7	2.0	3.5	3	16	1700	2.3	0.120	0.3	27
	4	2	18	9:45	4.3	6.8	9.5	4.7	9.4	1	16	7900	3.7	0.270	0.3	20
R4	4	5	20	13:40	26.0	25	10.6	6.9	7.8	23	13	<1	0.67	0.046	0.6	
	4	6	29	11:40	35.0	35.0	10.3	4.4	12	7	10	<1	2.3	0.120	0.3	23
	4	9	6	12:30	32.0	29	10.4	0.8	7.7	10	12	4	1.2	0.077	0.8	
	4	10	25	8:40	12.0	15.0	7.2	1.7	3.1	3	9.7	13	0.95	0.038	5.2	
	4	12	6	11:35	13.0	13.0	9.8	2.4	4	7	13	23	1.9	0.056	0.5	
	5	2	17	11:10	8.0	11.0	9.6	3.1	6.7	18	15	46	3.1	0.130	0.5	18
R5	5	5	26	11:30	24.3	19	6.9	1.4	4.3	3	9.1	24	1.1	0.120	1	
	5	7	24	9:00	33.2	28.8	10	2.8	5.7	4	11	140	1.2	0.055	1.1	19
	5	9	15	14:10	31.6	32.5	10.5	1.9	5.1	3	9.1	1	0.96	0.047	0.8	
	5	10	24	12:15	21.8	20.5	9.8	2.7	5.7	2	10	52	1.5	0.050	1.6	
	5	12	4	9:35	8.9	9.5	8.8	2.0	3	2	12	46	2.4	0.060	1.2	
	6	3	5	8:53	7.5	8.2	7.9	1.9	3.6	<1	13	46	1.3	0.048	0.7	21
R6	6	5	15	15:00	27.9	21.9	9.5	2.0	2.5	1	9.7	130	1.5	0.054	1.6	
	6	6	13	11:45	27.8	29.0	10.3	<0.5	3.9	5	9.3	150	1.3	0.027	1.4	17
	6	8	21	14:45	35.1	32.3	10.0	<0.5	3.1	<1	9.4	230	0.91	0.033	1.4	
	6	10	11	14:20	23.0	22.9	8.5	2.3	5.6	1	9.9	310	1.6	0.240	1.4	
	6	12	5	14:40	13.4	12.4	9.2	1.4	3.3	2	10	50	2.1	0.050	0.3	
	7	2	6	15:20	4.4	5.8	9.4	4.5	4.1	6	15	370	2.6	0.040	0.7	17